

# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name	:	Oxypeps ACID
Product code	:	112968E
Use of the Substance/Mixture	:	Cleaning product
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	No dilution information provided.
1.2 Relevant identified uses of the substance or mixture and uses advised against		

Identified uses	:	Process cleaner. Cleaning In place (CIP) process
Recommended restrictions	:	Reserved for industrial and professional use.

# 1.3 Details of the supplier of the safety data sheet

Company	: Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire, United Kingdom CW8 4DX +353 (0)1 276 3500 ccs@ecolab.com
---------	--

#### 1.4 Emergency telephone number

Emergency telephone number	:	+353 (0)1 276 3500
Poison Information Centre telephone number	:	For medical professionals only: +353 (0)1 837 9964 (8am-10pm)

Date of Compilation/Revision : 14.06.2017 Version : 1.0

Section: 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1AH314Serious eye damage, Category 1H318The classification of this product is based only on its extreme pH value (in accordance with currentEuropean legislation).

## 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :		
Signal Word :	Danger	
Hazard Statements :	H314	Causes severe skin burns and eye damage.
Precautionary Statements :	<b>Prevention:</b> P260a P280 <b>Response:</b>	Do not breathe dusts or mists. Wear protective gloves/ eye protection/ face protection.
	P303 + P361 + P3	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305 + P351 + P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label: Sodium bisulfate sulphamic acid

#### 2.3 Other hazards

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

# Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

## Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	ClassificationREGULATION (EC) No 1272/2008	Concentration: [%]
Sodium bisulfate	7681-38-1 231-665-7	Serious eye damage Category 1; H318	>= 30 - < 50
sulphamic acid	5329-14-6 226-218-8	Skin irritation Category 2; H315 Eye irritation Category 2; H319 Chronic aquatic toxicity Category 3; H412	>= 20 - < 25
Sodium Carbonate	497-19-8 207-838-8 01-2119485498-19	Eye irritation Category 2; H319	>= 5 - < 10
Substances with a workp	lace exposure limit :		•
precipitated silica	112926-00-8		>= 0.5 - < 1

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Oxypeps ACID

51 1	
	ements mentioned in this Section, see Section 16.
Section: 4. FIRST AID MEASU	RES
4.1 Description of first aid mea	asures
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

## 4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# Section: 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	<ul> <li>Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus</li> </ul>
5.3 Advice for firefighters	

Special protective equipment for firefighters	:	Use personal protective equipment.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of

fire and/or explosion do not breathe fumes.

# Section: 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

#### 6.2 Environmental precautions

Environmental precautions	: Do not allow contact with soil, surface or ground water.
---------------------------	--

# 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up and shovel into suitable containers for disposal.

# 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

#### Section: 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.	
7.2 Conditions for safe storage, including any incompatibilities		

Requirements for storage areas and containers	: Keep away from strong bases. Keep out of reach of childr Keep container tightly closed. Store in suitable labeled co	
Storage temperature	: -20 °C to 40 °C	

## 7.3 Specific end uses

Specific use(s) : Process	cleaner. Cleaning In place	(CIP) process
---------------------------	----------------------------	---------------

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
precipitated silica	112926-00-8	OELV - 8 hrs (TWA) (Respirable dust)	2.4 mg/m3 (Silica)	IR_OEL	
Further information		no specific short-term exposure limit is listed, a figure three times the erm exposure limit value should be used			
		OELV - 8 hrs (TWA) (Inhalable dust)	6 mg/m3 (Silica)	IR_OEL	
Further information		Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit value should be used			

## DNEL

DINEL		
Sodium Carbonate	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 10 mg/m3

# 8.2 Exposure controls

# Appropriate engineering controls

Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Individual protection measur	es	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Eye/face protection (EN 166)	:	Safety goggles Face-shield
Hand protection (EN 374)	:	Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Oxypeps ACID	
Skin and body protection (EN 14605)	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection (EN 143, 14387)	: When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, 89/686/EEC), or equivalent, with filter type:B
Environmental exposure co	ntrols
General advice	: Consider the provision of containment around storage vessels.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance	: powder
Colour	: white
Odour	: odourless
рН	: 2.0, 1 %
Flash point	: Not applicable., Does not sustain combustion.
Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture
Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 1.31
Water solubility	: soluble
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: Not applicable and/or not determined for the mixture
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: Yes

# 9.2 Other information

Not applicable and/or not determined for the mixture

# Section: 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

#### 10.4 Conditions to avoid

None known.

# 10.5 Incompatible materials

Bases

# **10.6 Hazardous decomposition products**

Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

# Section: 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Information on likely routes of exposure	:	Inhalation, Eye contact, Skin contact
Product		
Acute oral toxicity	:	There is no data available for this product.
Acute inhalation toxicity	:	There is no data available for this product.
Acute dermal toxicity	:	There is no data available for this product.
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	There is no data available for this product.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Oxypeps ACID

Reproductive effects	: There is no data available for this product.
Germ cell mutagenicity	: There is no data available for this product.
Teratogenicity	: There is no data available for this product.
STOT - single exposure	: There is no data available for this product.
STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	
Acute oral toxicity	: Sodium bisulfate LD50 rat: 2,140 mg/kg
	sulphamic acid LD50 rat: 3,160 mg/kg
	Sodium Carbonate LD50 rat: 2,800 mg/kg
	precipitated silica LD50 rat: 20,000 mg/kg
Components	
Acute inhalation toxicity	: Sodium bisulfate 4 h LC50 rat: 2.4 mg/l
Components	
Acute dermal toxicity	: sulphamic acid LD50 rat: > 2,000 mg/kg
	precipitated silica LD50 rabbit: 5,000 mg/kg
Potential Health Effects	
Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human expo	sure
Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

xypeps ACID	
Inhalation	: Respiratory irritation, Cough
ection: 12. ECOLOGICAL INFO	RMATION
.1 Ecotoxicity	
Environmental Effects	: This product has no known ecotoxicological effects.
Product	
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: Sodium bisulfate 96 h LC50 Fish: 7,960 mg/l
	Sodium Carbonate 96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates	<ul> <li>Sodium Carbonate</li> <li>48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l</li> </ul>
Components	
Toxicity to algae	: sulphamic acid 72 h EC50: 48 mg/l
.2 Persistence and degradabil	ity
Product	
Biodegradability	: The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
Components	
Biodegradability	: Sodium bisulfate Result: Not applicable - inorganic
	sulphamic acid Result: Not applicable - inorganic
	Sodium Carbonate Result: Not applicable - inorganic
	precipitated silica Result: Not applicable - inorganic
.3 Bioaccumulative potential	
no data available	

no data available

# 12.4 Mobility in soil

no data available

# 12.5 Results of PBT and vPvB assessment

## Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

# Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADR/ADN/RID)

14.1 UN number 14.2 UN proper shipping	: Not dangerous goods : Not dangerous goods
name 14.3 Transport hazard	: Not dangerous goods
class(es) 14.4 Packing group 14.5 Environmental hazards	: Not dangerous goods : Not dangerous goods

: Not dangerous goods
<ul><li>Not dangerous goods</li><li>Not dangerous goods</li></ul>

14.2 ON proper shipping	. Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	0 0
14.4 Packing group	: Not dangerous goods
•••	<b>U U</b>
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	6 6
4501	

# Sea transport (IMDG/IMO)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	
14.7 Transport in bulk	: Not dangerous goods
according to Annex II of	
MARPOL 73/78 and the IBC	
Code	

# Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents	:	30 % and more: Zeolites
Regulation EC 648/2004		less than 5 %: Oxygen-based bleaching agents

#### **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations: Safety, Health and Welfare at Work Act, 2005European Communities (Classification, Packaging, Labelling and<br/>Notification of Dangerous Preparations) Regulations 1995. (S.I.<br/>272 of 1995) as amended

#### **15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

## Section: 16. OTHER INFORMATION

# Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Skin corrosion 1A, H314	Based on product data or assessment
Serious eye damage 1, H318	Based on product data or assessment

## Full text of H-Statements

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

# Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number -European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response: GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# ANNEX: EXPOSURE SCENARIOS

#### **DPD+ Substances:**

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

Route	oute Substance		EINECS-No.	
Ingestion	No lead substance			
Inhalation	No lead substance			
Dermal	sulphamic acid	5329-14-6	226-218-8	
Eyes	Sodium bisulfate	7681-38-1	231-665-7	
aquatic environment	sulphamic acid	5329-14-6	226-218-8	

#### **Physical properties DPD+ Substances:**

Substance	Vapour pressure	Water solubility	Pow	Molar Mass
sulphamic acid	0.0078 hPa	181.4 g/l		
Sodium bisulfate		285 g/l		

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

# www.ecetoc.org/tra

Short title of Exposure Scenario	:	Process cleaner. Cleaning In place (CIP) process
Use descriptors		
Main User Groups	:	Industrial uses: Uses of substances as such or in preparations at industrial sites
Sectors of end-use	:	<b>SU3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Process categories	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities
Product categories	:	<b>PC35:</b> Washing and cleaning products (including solvent based products)
Environmental Release	:	ERC4: Industrial use of processing aids in processes and

Categories

products, not becoming part of articles